

From: [Linda Phillips](#)
To: [Amina Wilkins](#)
Subject: Re: NCEA PCB Estimation Tool: Should Default Values be Changed? (Based on Recent Literature Search)
Date: 04/15/2010 09:39 AM

Thanks Amina - Yes, I would rather do it online if possible. If we do it online, could you please send me the charts to look at? ...or maybe I can get copies before I leave today.

Linda J. Phillips, Ph.D.
National Center for Environmental Assessment
Office of Research and Development
U.S. Environmental Protection Agency
Potomac Yards North, Room 7783
Telephone: (703) 347-0366
email: phillips.linda@epa.gov
Mailing Address:
1200 Pennsylvania Avenue, NW (8623P)
Washington, DC 20460

▼ Amina Wilkins---04/15/2010 09:34:31 AM---Hi Jeff (Linda and John), It would be best to have the PCB default discussion in person (there is a

From: Amina Wilkins/DC/USEPA/US
To: Jeff Frithsen/DC/USEPA/US@EPA
Cc: Linda Phillips/DC/USEPA/US@EPA, John Schaum/DC/USEPA/US@EPA
Date: 04/15/2010 09:34 AM
Subject: NCEA PCB Estimation Tool: Should Default Values be Changed? (Based on Recent Literature Search)

Hi Jeff (Linda and John),
It would be best to have the PCB default discussion in person (there is a lot to explain and several different sheets and charts come into play). Will you and Linda be in the office on Monday? John might also be interested in the meeting. Might he be in on Monday as well? I've shared some of this work with Linda so teleconferencing with Linda is OK. But I recommend meeting in person with you and John (and Linda on the line). -Amina